

Pazarlama Müdürlüğü /
İstanbul ve Karadeniz
Bölge Satış Müdürlüğü
Evliya Çelebi Mah.
Sadi Konuralp Cad. No: 1
34430 Şişhane - İSTANBUL
Tel : (212) 368 28 00 (pbx)
(212) 251 34 30
Faks : (212) 251 52 95 - 249 39 91

Adana Bölge Satış Müdürlüğü
Turhan Cemal Beriker Bulvarı
Gizerler İş Merkezi A Blok Kat: 3 No: 6
01110 ADANA
Tel : (322) 458 46 26 (pbx)
Faks : (322) 458 26 80

Ankara Bölge Satış Müdürlüğü
Sanayi Cad. Çavuş sok. Akgül İşhanı No:3
D:10 06050 Ulus - ANKARA
Tel : (312) 310 92 14 - 310 82 15
(312) 309 18 32 - 309 18 33
Faks : (312) 312 28 88

Bursa Bölge Satış Müdürlüğü
Üçevler Mah. Bayraktepe sok.
Akay İş Merkezi No: 7 D: 5
Nilüfer - BURSA
Tel : (224) 443 28 00
(224) 443 01 03
(224) 443 01 04
Faks : (224) 443 01 05

İzmir Bölge Satış Müdürlüğü
1203/11. Sokak
Ömer Atlı İş Merkezi No: 3 Kat: 7
D: 708-709
35110 Yenişehir - İZMİR
Tel : (232) 469 23 33
Faks : (232) 469 26 66

Diyarbakır Satış İrtibat
Tel : (412) 235 74 83
Faks : (412) 235 74 83
GSM : (533) 968 16 79




LEGRAND ELEKTRİK SANAYİ A.Ş.
ELTAŞ ELEKTRİK MALZ. SAN. PAZ. A.Ş.

Fabrika - Merkez
GOSB Gebze Organize Sanayi Bölgesi
İhsan Dede Cad.
No : 112 41480 Gebze - KOCAELİ
Tel : (262) 648 90 00 (pbx)
Faks: (262) 751 12 57 - 751 12 67



Valena™
New
Dress
Collection




NEW RANGE OF PLATES FOR VALENA

Come and see Valena's fashion show

Valena creates for your clients its new collection's fashion show, with its bright colors, finishes and cover plates in every room (living-room, kitchen, bedroom, bathroom...) for the pleasure of the eyes and well-being.

Your clients will look and enjoy Valena up to their finger tips. Thanks to its trendy colors, its wide and complete range, Valena knows how to make your clients worth, by making their indoors decoration bright and visible. Accurately designed, the new finishes of Valena are all smarter as they are efficient. Two, three or four vertical or horizontal gang, the new range knows how to comply with today's every single desire.






The Valena's dress collection combines materials quality, fine design and show of colors.



Valena neutral and graph: Chic or pop, it's up to your clients to say it

A particularly well-designed collection in
its finest finishes



Valena's new tendency is to alternate chic and pop. With white, pearl, chrome and crystal finishes, your clients dress up their interior with a light and discreet touch. Without being too attractive, those finishes by their presence will personalize a room. Your clients can also relax and give their pop side all its space in their house by setting some blue, rose or amber graphs on their walls.




White


Valena graph

Pop'n roll!

By dressing up their rooms with colourful trendy cover-plates and graffiti designs, your clients immediately create a universe fitting with their look!



The essential with new Valena's range is to enhance your look, according to your tastes, as well as to take advantage of functions which will satisfy everyday's expectations: Switches, dimmers, TV, telephone, RJ 45 sockets, sound diffusion system.



White Crystal



White Pearl



White Silver



Graph Amber



GraphBlue



GraphPink


Valena classic: Elegance and performance of models

A true show of colors, a promise to recreate at home the quiet and clear atmosphere of nature in any season.



Valena, for its brand new collection, takes inspiration from today's way of life. By revisiting classics, with well-kept finishes and sober colors, this range perfectly fits with any style of interior. Thus, your client can serenely assume their taste for change as well as they can make sure of taking advantage of the maximum of performance.

Terra, beige, umber, clay... the indispensable of Valena are true standards. Let yourself be seduced by the high quality of its textures and colors to enlighten all your present desire.



Ivory

Valena stretches the pose

Valena Classic is like all Legrand ranges: multi-functional. Plates are available in every finish and provide you with a solution for the mounting of 2 or 4 horizontal and vertical gang. Everything to deck out a house on any occasion.



NEW

Ivory Gold




Terra



Umber



Clay



Valena Alu suits you well

One way switch becomes a fashion accessory for the house. A timeless game of textures, an up to date style.



Valena Alu is an elegant combination of textures, wood and metal. Being already a source of light in every room, this ange dresses the house with style. Indeed, the wooden impression provides more warmth to the decoration, while metal underlines the uptodate part of your clients. For sure, Valena is the perfect choice for any installation!



Aluminium



Aluminium Silver

The flexibility of elegance



TitaniumGold



Washed Wood Silver



Black Silver



Darkwood Silver

Dimmers, automatic switches, roller blind controllers, RJ 45 sockets..., the new collection of Valena offers autonomous and flexible management of the house: ranging from the light to the heating, without forgetting the Internet connection... elegance easily gets on well with simplicity and effectiveness.



Valena in one eye shot

Neutral, graphic, classic, aluminium... whatever your style, a full anthology of finishes.



In every season, Valena performs elegance with simplicity. This collection is directly inspired by the standards of Legrand, and revisits some classical tendencies. Neutral, graph, classic, the unescapables of the range of Valena provide young, smart, basic, vintage or trendy styles... with many colors... so fashion!

NEUTRAL



Valena, a so professional relooking

GRAPH



CLASSIC



ALU



Valena allows your clients to perform their own house's relooking, by giving them a so professional touch. Alu plate and white coverplate for exaple, all the pleasure are indoors.



Valena: energy efficiency is a sure and unfashionable value

Not only beautiful, Valena's range is also efficient. With dimmers, automatic switches, thermostats...

until your clients master
30% * their consumption and efficiently show their taste for energy savings.

Legrand has been involved with professionals and consumers for many years to provide lines of products corresponding with today's energy requirements and performance.



Automatic Switch

* In accordance to EN 15 193. Example for an automatic switch in mode full On/Off with medium daylight penetration..





Automatic Switch



Dimmer



Thermostat



Hotel
Badge
Switch

Even hotels are satisfied with Valena in terms of energy performance. Thanks to the range of badges for hotel rooms, the light and electric current only work when the customer is in his room. With Valena, your professional clients also choose sustainable development.

Valena a weatherproof style

IP 44 function: an answer to any uses

By covering the switch with the IP 44 cover, function like the sound diffusion system can be safely installed in the bathroom. Without hiding the aestheticism of its range, Valena reinforces the waterproofness of its equipments in any situation.



Radio






Socket



Data RJ45




Socket



Valena a source of security for Home
Even bathroom or kitchen are satisfied
in terms of IP 44 protection.
Valena integrate a complete range
of waterproof plates and sockets
outlets with flap and shutters for child
protection.
With Valena, your clients choose also
the IP 44 security.

Valena, professional background to create a perfect finish


For many years professionals have been just looking for Valena



In order to guarantee your clients an installation which provides them with a comfortable use and energy performance, Valena relies on Legrand technology which has proved its efficiency. The solidity of its mechanisms and performance of its equipments provide a fast and simple installation with no tool. Valena will help you to gain time and will assure you a perfect finish. Valena is the aesthetical efficiency of high technology



The speedy and safe installation mechanism is a distinctive feature of Valena Key socket range. With Valena enjoy higher tempo at your construction sites



Valena™ switches



7701 01 + 7701 51



7744 10 + 7744 51



7701 05 + 7703 61



7742 13 + 7744 51



7741 01 + 7743 51

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting

Pack	Cat.Nos	Switches 10 AX - 250 V~
		Automatic terminals
		One-way switch
10	7743 01	● Ivory
10	7744 01	○ White
10	7701 01	● Brilliant Aluminium
		Two-way switch
10	7743 06	● Ivory
10	7744 06	○ White
10	7701 06	● Brilliant Aluminium
		Intermediate switch
10	7743 07	● Ivory
10	7744 07	○ White
10	7701 07	● Brilliant Aluminium
		Illuminated switch
		Supplied with 0.5 mA - 230 V green lamp Cat.No 7758 97
10	7743 10	● Ivory
10	7744 10	○ White
10	7701 10	● Brilliant Aluminium
		Two-way switch with indicator
		Supplied with 1 mA - 230 V orange lamp Cat.No 7758 98
10	7743 25	● Ivory
10	7744 25	○ White
10	7701 25	● Brilliant Aluminium
		Illuminated two-way switch
		Supplied with 0.5 mA - 230 V green lamp Cat.No 7758 97
10	7743 26	● Ivory
10	7744 26	○ White
10	7701 26	● Brilliant Aluminium
		Illuminated intermediate switch
		Supplied with 0.5 mA - 230 V green lamp Cat.No 7758 97
10	7743 48	● Ivory
10	7744 48	○ White
10	7701 48	● Brilliant Aluminium
		2 gang one-way switch
10	7743 05	● Ivory
10	7744 05	○ White
10	7701 05	● Brilliant Aluminium
		2 gang two-way switch
10	7743 08	● Ivory
10	7744 08	○ White
10	7701 08	● Brilliant Aluminium
		2 gang two-way switch with one indicator
		Supplied with 1 mA - 230 V orange lamp Cat.No 7758 98
10	7743 45	● Ivory
10	7744 45	○ White
10	7701 45	● Brilliant Aluminium
		Illuminated 2 gang one-way switch
		Supplied with 1 mA - 230 V green lamp Cat.No 7758 97
10	7743 28	● Ivory
10	7744 28	○ White
10	7701 28	● Brilliant Aluminium

Pack	Cat.Nos	Switches 10 AX - 250 V~ (continued)
		2 gang one-way switch with two indicators
		Supplied with 1 mA - 230 V orange lamp Cat.No 7758 98
10	7741 13	● Ivory
10	7742 13	○ White
10	7702 13	● Brilliant Aluminium
		Illuminated 2 gang two-way switch
		Supplied with 0.5 mA - 230 V green lamp Cat.No 7758 97
10	7741 12	● Ivory
10	7742 12	○ White
10	7702 12	● Brilliant Aluminium
		Double pole switch
10	7743 02	● Ivory
10	7744 02	○ White
10	7701 02	● Brilliant Aluminium
		Double pole switch with indicator
		Supplied with 1 mA - 230 V orange lamp Cat.No 7758 98
10	7743 49	● Ivory
10	7744 49	○ White
10	7701 49	● Brilliant Aluminium
		Switches 10 AX - 250 V~ - IP 44
		Automatic terminals
		One-way switch
10	7741 01	● Ivory
10	7742 01	○ White
		Two-way switch
10	7741 06	● Ivory
10	7742 06	○ White
		Intermediate switch
10	7741 97	● Ivory
10	7700 97	○ White
		2 gang two-way switch
10	7741 98	● Ivory
10	7700 98	○ White
		Double pole switch
10	7741 92	● Ivory
10	7700 92	○ White

Valena™ switches (continued)



7741 04 + 7743 51



7742 14 + 7744 51

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting

Valena™ push-buttons



7743 12 + 7743 51

7744 19 +
7744 51

7701 13 + 7701 51

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting

Pack	Cat.Nos	Switches 16 AX - 250 V~	
		Automatic terminals	
		Two-way switch	
10	7741 05		● Ivory
10	7742 05		○ White
10	7702 05		● Brilliant Aluminium
		Illuminated two-way switch	
		Supplied with 0.5 mA - 230 V green lamp Cat.No 7758 97	
10	7741 03		● Ivory
10	7742 03		○ White
10	7702 03		● Brilliant Aluminium
		Double pole switch	
10	7741 04		● Ivory
10	7742 04		○ White
10	7702 04		● Brilliant Aluminium
		Double pole switch with indicator	
		Supplied with 1 mA - 230 V orange lamp Cat.No 7758 98	
10	7741 14		● Ivory
10	7742 14		○ White
10	7702 14		● Brilliant Aluminium
		3-pole switches 10 A - 400 V~	
		Automatic terminals	
		For fluorescent tubes	
10	7743 03		● Ivory
10	7744 03		○ White
10	7701 03		● Brilliant Aluminium

Pack	Cat.Nos	Push-buttons 10 A - 250 V~	
		Automatic terminals	
		Push-button	
10	7743 11		● Ivory
10	7744 11		○ White
10	7701 11		● Brilliant Aluminium
		Push-button with lamp symbol	
10	7743 12		● Ivory
10	7744 12		○ White
10	7701 12		● Brilliant Aluminium
		Push-button with bell symbol	
10	7741 16		● Ivory
10	7742 16		○ White
10	7702 16		● Brilliant Aluminium
		Illuminated push-button with lamp symbol	
		Supplied with 1 mA - 230 V green lamp Cat.No 7758 90	
10	7743 13		● Ivory
10	7744 13		○ White
10	7701 13		● Brilliant Aluminium
		Illuminated push-button with bell symbol	
		Supplied with 1 mA - 230 V green lamp Cat.No 7758 90	
10	7741 15		● Ivory
10	7742 15		○ White
10	7702 15		● Brilliant Aluminium
		Double changeover push-button	
1	7741 18		● Ivory
1	7742 18		○ White
1	7702 18		● Brilliant Aluminium
		Changeover push-button for pull cord control	
1	7743 19		● Ivory
1	7744 19		○ White
1	7701 19		● Brilliant Aluminium

Pack	Cat.Nos	Push-buttons 10 A - 250 V~ - IP 44	
		Push-button with bell symbol	
10	7741 99		● Ivory
10	7700 99		○ White
		Push-buttons 10 A - 12 V~	
		Automatic terminals	
		Illuminated push-button with bell symbol	
		Supplied with 15 mA - 8-12 V green lamp Cat.No 7758 99	
10	7743 15		● Ivory
10	7744 15		○ White
10	7701 15		● Brilliant Aluminium
		Illuminated push-button with label-holder	
		Supplied with 15 mA - 8-12 V green lamp Cat.No 7758 99	
10	7741 17		● Ivory
10	7742 17		○ White
10	7702 17		● Brilliant Aluminium
		Accessory	
10	898 05		Pull-cord accessory 1.5 m length

Valena™ automatic switches, dimmers



7700 89 + 7744 51



7700 74 + 7744 61

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting

Pack	Cat.Nos	Automatic switches with movement detector
		230 V~ - 50/60 Hz Luminosity threshold: 3 to 1000 lux
		Standard 60-300 W for incandescent and halogen lamps 230 V~ Temporization: 6 seconds to 6 min. Can replace a switch without additional wiring Detection angle: 130°
1	7741 28	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7742 28	
1	7702 28	
		With override, with neutral 1000 W for incandescent and halogen lamps 230 V~ 500 VA ELV lamps with electronic or ferromagnetic transformers, fluorescent tubes and compact lamps 100 VA fans Temporization: 1 second to 16 min Detection angle: 180° Can be remotely controlled via non-illuminated push-button
1	7741 89	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7700 89	
1	7702 89	

Pack	Cat.Nos	Dimmers 230 V~ - 50 Hz
		Rotary dimmer Push for On/Off function Rotate for light level adjustment 100-1000 W for incandescent and halogen lamps 230 V~ 1000 VA ELV lamps with ferromagnetic transformers
1	7741 60	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7700 60	
1	7702 60	
		Rotary adjustment and control 40-400 W for incandescent and halogen lamps 230 V~ 40-400 VA ELV lamps with ferromagnetic transformers
1	7741 61	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7700 61	
1	7702 61	
		Push-button dimmer - 40-400 W With an On/Off button and a separate + / - button for dimming 40-400 W for incandescent and halogen lamps 230 V~ 40-400 VA ELV halogen lamps with electronic and ferromagnetic transformers Can be remotely controlled via non-illuminated push-button or two-way switch
1	7741 62	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7700 62	
1	7702 62	
		Push-button dimmer - 40-600 W With an On/Off button and a separate + / - button for dimming 40-600 W for incandescent and halogen lamps 230 V~ 40-600 VA ELV halogen lamps with ferromagnetic transformers
1	7741 74	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7700 74	
1	7702 74	

Valena™ roller blinds control, master switches for hotel rooms and thermostats



7743 04 + 7700 11



7741 35 + 7743 51



7741 26 + 7743 51

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting

Pack	Cat.Nos	Roller blinds control 10 A - 250 V~
		Automatic terminals
		Switch with mechanical interlock
1	7743 04	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7744 04	
1	7701 04	
		Push-button with electrical interlock
1	7743 14	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7744 14	
1	7701 14	
		Master switches for hotel rooms
		For energizing a circuit by inserting a card Example of use: hotel room power supply only when the guest is present 230 V~ - 50/60 Hz
		Standard Compatible with a smart card for hotel room max. width 54 mm
10	7741 34	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
10	7742 34	
10	7702 34	
		With time delay Compatible with a smart card for hotel room max. width 54 mm or a key fob Cat.No 898 06 (p. xxx) Approx 30 sec. after card removal
1	7741 35	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7742 35	
1	7702 35	
		Thermostats
		Standard NO/NC contact to control heating or air-conditioning
1	7741 26	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7742 26	
1	7702 26	
		Comfort with switch Comfort/reduce, manual or automatic with auxiliary input 230 V~
1	7741 27	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7742 27	
1	7702 27	
		For floor heating system Comfort mode reduced with auxiliary input 230 V~ Supplied with floor sensor, length 20 m
1	7741 91	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7700 91	
1	7702 91	

Valena™

television sockets



7743 29 + 7743 51



7744 32 + 7744 51



7701 36 + 7701 51



7743 42

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting

Pack	Cat.Nos	Single TV sockets
		For plugs with Ø9.5 mm TV male: 4 to 2400 MHz
		Star socket Attenuation ≤ 1.5 dB
10	7743 29	Ivory
10	7744 29	White
10	7701 29	Brilliant Aluminium
		Terminal socket Attenuation ≤ 10 dB
10	7743 30	Ivory
10	7744 30	White
10	7701 30	Brilliant Aluminium
		Throughwiring socket Attenuation ≤ 14 dB
10	7743 31	Ivory
10	7744 31	White
10	7701 31	Brilliant Aluminium

Pack	Cat.Nos	TV-R sockets
		For plugs with Ø9.5 mm TV male: 4 to 862 MHz R female: 87.5 to 108 MHz
		Star socket Attenuation ≤ 1.5 dB
10	7743 32	Ivory
10	7744 32	White
10	7701 32	Brilliant Aluminium
		Terminal socket Attenuation ≤ 10 dB
10	7743 33	Ivory
10	7744 33	White
10	7701 33	Brilliant Aluminium
		Throughwiring socket Attenuation ≤ 14 dB
10	7743 34	Ivory
10	7744 34	White
10	7701 34	Brilliant Aluminium

Pack	Cat.Nos	TV-R-SAT sockets
		For plugs with Ø9.5 mm Equipped with connectors for automatic connection (no need to strip conductive cable) TV male - 4 to 862 MHz R female 87.5 to 108 MHz SAT (IF + IF 2) 950 to 2400 MHz
		Star socket Attenuation ≤ 1.5 dB
10	7743 35	Ivory
10	7744 35	White
10	7701 35	Brilliant Aluminium
		Terminal socket Attenuation ≤ 10 dB
10	7743 36	Ivory
10	7744 36	White
10	7701 36	Brilliant Aluminium
		Throughwiring socket Attenuation ≤ 14 dB
10	7743 37	Ivory
10	7744 37	White
10	7701 37	Brilliant Aluminium

Pack	Cat.Nos	Central plate TV-R
		30 mm with screw for adaptation to local manufacturers such as DX Contera, Televés and Hirschmann
10	7743 42	Ivory
10	7744 42	White
10	7701 42	Brilliant Aluminium

Valena™ data sockets



7741 44 + 7743 51



7702 39 + 7701 61

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting
Fast connection sockets – no tool required
Contacts marked with double colour codes

Pack	Cat.Nos	Data sockets Cat. 6	
10	7741 46	RJ 45 UTP - 1 outlet	● Ivory - with claws
10	7741 42		● Ivory - without claws
10	7742 46		○ White - with claws
10	7742 42		○ White - without claws
10	7702 46		● Brilliant Aluminium - with claws
10	7702 42		● Brilliant Aluminium - without claws
10	7741 47	RJ 45 UTP - 2 outlets	● Ivory - with claws
10	7741 43		● Ivory - without claws
10	7742 47		○ White - with claws
10	7742 43		○ White - without claws
10	7702 47		● Brilliant Aluminium - with claws
10	7702 43		● Brilliant Aluminium - without claws
10	7741 32	RJ 45 FTP - 1 outlet - without claws	● Ivory
10	7742 32		○ White
10	7702 32		● Brilliant Aluminium
10	7741 33	RJ 45 FTP - 2 outlets - without claws	● Ivory
10	7742 33		○ White
10	7702 33		● Brilliant Aluminium
10	7741 44	RJ 45 STP - 1 outlet - without claws	● Ivory
10	7742 44		○ White
10	7702 44		● Brilliant Aluminium
10	7741 45	RJ 45 STP - 2 outlets - without claws	● Ivory
10	7742 45		○ White
10	7702 45		● Brilliant Aluminium

Pack	Cat.Nos	Data sockets Cat. 5e	
10	7741 30	RJ 45 UTP - 1 outlet	● Ivory - with claws
10	7741 38		● Ivory - without claws
10	7742 30		○ White - with claws
10	7742 38		○ White - without claws
10	7702 30		● Brilliant Aluminium - with claws
10	7702 38		● Brilliant Aluminium - without claws
10	7741 31	RJ 45 UTP - 2 outlets	● Ivory - with claws
10	7741 39		● Ivory - without claws
10	7742 31		○ White - with claws
10	7742 39		○ White - without claws
10	7702 31		● Brilliant Aluminium - with claws
10	7702 39		● Brilliant Aluminium - without claws
10	7741 40	RJ 45 FTP - 1 outlet - without claws	● Ivory
10	7742 40		○ White
10	7702 40		● Brilliant Aluminium
10	7741 41	RJ 45 FTP - 2 outlets - without claws	● Ivory
10	7742 41		○ White
10	7702 41		● Brilliant Aluminium

Valena™ telephone sockets



7744 38 + 7744 51



7702 80 + 7701 51

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting

Pack	Cat.Nos	Telephone sockets	
		Sockets equipped with quick-fit 1/4 turn self-stripping connectors linkage	
10	7743 38	RJ 11 - 4 contacts - 1 outlet	● Ivory
10	7744 38		○ White
10	7701 38		● Brilliant Aluminium
10	7743 39	RJ 11 - 4 contacts - 2 outlets	● Ivory
10	7744 39		○ White
10	7701 39		● Brilliant Aluminium
1	7743 41	RJ 45 - ISDN / Internet - 8 contacts	● Ivory
1	7744 41	1 output - screw/claw mounting	○ White
1	7701 41	With claws	● Brilliant Aluminium
10	7741 80	Twin socket RJ 45 Cat 6 UTP + RJ 11	● Ivory
10	7700 80	Without claws	○ White
10	7702 80		● Brilliant Aluminium

Valena™ audio/video sockets

NEW



7743 24 + 7743 51

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting

Valena™ equipment for audio/video sockets

NEW



779 30

Pack	Cat.Nos	Loudspeaker sockets
		Equipped with DIN 41 529 standard connectors For 0.75 to 5 mm ² cables Screw terminals
10	7741 23	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
10	7742 23	
10	7702 23	
10	7743 24	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
10	7744 24	
10	7701 24	

Pack	Cat.Nos	Audio and video sockets
		Audio/video socket HDMI HDMI audio/video type A socket Used to transmit High-definition digital audio/video streams between a source (HD-DVD or Blu-Ray drive, games console, computer, etc) and a compatible receiver (plasma, LCD)
1	7741 85	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7700 85	
1	7702 85	
1	7741 83	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7700 83	
1	7702 83	
1	7741 84	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7700 84	
1	7702 84	

Pack	Cat.Nos	HD 15 + Ø3.5 mm Jack sockets
1	7741 82	<ul style="list-style-type: none"> ● Ivory ○ White ● Brilliant Aluminium
1	7700 82	
1	7702 82	

Pack	Cat.Nos	Equipment cords
		For connecting a socket to a terminal
1	517 20	HDMI cord Length 10 m For connecting an HDMI socket to the audio/video terminal (plasma screen, DVD drive, Home Cinema, games console, etc) For use at more than 10 m, use the HDMI Booster Cat.No. 779 30
1	517 22	HD 15 + 3.5 mm Jack cord Length 2 m For connecting an HD 15 video socket and a 3.5 mm audio jack to a terminal (PC, video projector)
1	779 30	HDMI booster Used to extend an HDMI connection Consists of 2 female connectors and used as an addition to the HDMI cord (for example cord Cat.No 517 20) Does not need an external power supply
		Cables
		For connecting 2 sockets
1	327 80	HDMI cable Length 20 m For connecting HDMI sockets at a distance of up to 10 m
1	327 81	VGA cable Length 20 m For connecting full pin HD 15 sockets at a distance of up to 20 m

Valena™ socket outlets



7743 16 + 7743 51



7744 21 + 7744 51



7743 27 + 7701 51

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting
IP 2 protection index
Terminals: 2.5 mm²

Pack Cat.Nos 2P socket outlets 10/16 A - 250 V~

Pack	Cat.Nos	2P socket outlets 10/16 A - 250 V~
10	7743 16	<ul style="list-style-type: none"> Ivory White Brilliant Aluminium
10	7744 16	
10	7701 16	
10	7742 49	<ul style="list-style-type: none"> Ivory White Brilliant Aluminium
10	7741 49	
10	7702 49	

German standard socket outlets 10/16 A - 250 V~

10	7743 20	<ul style="list-style-type: none"> Ivory White Brilliant Aluminium
10	7744 20	
10	7701 20	
10	7743 21	<ul style="list-style-type: none"> Ivory White Brilliant Aluminium
10	7744 21	
10	7701 21	
10	7743 22	<ul style="list-style-type: none"> Ivory White Brilliant Aluminium
10	7744 22	
10	7701 22	
5	7743 95	<ul style="list-style-type: none"> Ivory White Brilliant Aluminium
5	7743 94	
5	7701 94	
10	7743 27	<ul style="list-style-type: none"> Red with tamperproof
10	7743 72	<ul style="list-style-type: none"> Green
10	7743 73	<ul style="list-style-type: none"> Orange
10	7743 23	<p>2P+E supplied complete With cover plate and plate</p> <ul style="list-style-type: none"> Ivory - screw terminals Ivory - automatic terminals White - screw terminals White - automatic terminals Brilliant Aluminium - screw terminals Brilliant Aluminium - automatic terminals
10	7741 19	
10	7744 23	
10	7742 19	
10	7701 23	
10	7702 19	

Pack Cat.Nos German standard socket outlets 16 A - 250 V~ - IP 44

10	7741 20	<ul style="list-style-type: none"> Ivory White
10	7742 20	
1	7742 60	<ul style="list-style-type: none"> White <p>Delivered with accessory Cat.No 7759 99</p>

French standard socket outlets 10/16 A - 250 V~

10	7743 98	<ul style="list-style-type: none"> Ivory White Brilliant Aluminium
10	7743 96	
10	7701 96	
10	7743 99	<ul style="list-style-type: none"> Ivory White Brilliant Aluminium
10	7743 97	
10	7701 97	
10	7700 90	<ul style="list-style-type: none"> Red with tamperproof

French standard socket outlets 16 A - 250 V~ - IP 44

10	7741 21	<ul style="list-style-type: none"> Ivory White
10	7742 21	

Valena™ equipped socket outlets



7743 71



2 x 7742 02 + 7742 07

Mechanisms supplied with cover plates
Screw or claw mounting

Valena™ accessories



7743 47 + 7743 51




7744 50

Pack Cat.Nos German standard double socket outlets 16 A - 250 V~

Flush-mounting in 1 gang Ø60 mm boxes
Supplied complete with cover plate
and plate

2 x 2P+E - screw terminals


5 7743 70
5 7744 00
5 7701 00



● Ivory
○ White
● Brilliant Aluminium

2 x 2P+E with shutters for child protection

5 7743 71
5 7744 27
5 7742 48
5 7701 27




● Ivory - screw terminals
○ White - screw terminals
○ White - automatic terminals
● Brilliant Aluminium - screw terminals

Pack Cat.Nos French standard double socket outlets 16 A - 250 V~

Flush-mounting in 1 gang Ø60 mm boxes
Supplied complete with cover plate
and plate

2 x 2P+E - screw terminals

5 7743 92
5 7743 90
5 7702 90



● Ivory
○ White
● Brilliant Aluminium

2 x 2P+E with shutters for child protection

5 7743 93
5 7743 91
5 7701 91




● Ivory
○ White
● Brilliant Aluminium

Pack Cat.Nos Nordic countries socket outlets 16 A - 250 V~

2 x 2P+E with shutters for child protection - automatic terminals

5 7742 02



○ White

Special plates

5 7742 07
5 7742 08
1 7742 09



Special adaptor

10 7742 10



For single sockets, RJ 45 sockets
and TV-R-SAT sockets

Pack Cat.Nos Cable outlets

10 7743 47
10 7744 47
10 7701 47



● Ivory
○ White
● Brilliant Aluminium

Pack Cat.Nos Blanking plates

10 7743 46
10 7744 46
10 7701 46



● Ivory
○ White
● Brilliant Aluminium

Pack Cat.Nos Universal plates 46.5 mm

10 7743 80
10 7744 80
10 7701 80



● Ivory
○ White
● Brilliant Aluminium

Pack Cat.Nos Weatherproof plates - IP 44

Compatible with any non IP 44 mechanisms, for
1 gang installation only

10 7743 50
10 7744 50
10 7701 50



● Ivory
○ White
● Brilliant Aluminium

Pack Cat.Nos Accessory

1 7759 99
Key protection for German standard socket outlet
Accessory for key protection



Pack Cat.Nos Mounting accessories

Surface-mounting box

10 7761 31
10 7761 81



● Ivory
○ White

Accessory for adapting cables and tubes

10 7761 34
10 7761 84



● Ivory
○ White

Combination accessory

10 7761 35
10 7761 85



● Ivory
○ White

Pack Cat.Nos Replacement lamps

10 7758 97
10 7758 98
10 7758 99



0.5 mA - 230 V - Green
1 mA - 230 V - Orange
15 mA - 12 V~ - Green

10 7758 90



1 mA - 230 V - Green

Valena™ sound diffusion



7700 70 + 7700 69 + 7701 52






7741 67 + 7741 68 + 7743 52



7700 65 + 7744 52

Mechanisms supplied with cover plates, to be equipped with plates (p. xxx)
Screw or claw mounting




Pack Cat.Nos Single zone sound diffusion

Pack	Cat.Nos	Product Description
1	7700 69	Tuner  Power supply 15 V _{DC} Manual or automatic selection of stations 10-station memory Integrated aerial (adjustable reception sensitivity) On/off control Volume control Equipped with an auxiliary input for connecting an MP3 player or Discman (3.5 mm Jack socket), cord not supplied Compatible with 4/8 or 16 Ω Stereo or mono output Grey cover plate
1	7700 70	Power supply for tuner with integrated loudspeaker  Used together with tuner Cat.No 7700 69, it can distribute radio or the music source Loudspeaker power 1 W - 16 Ω Grey cover plate
1	673 22	Power supply in false ceiling for tuner  Power supply 230 V _{AC} Output 15 V _{DC} - 3.5 W For use in Plexo box Cat.No 920 52

Multi-zone sound diffusion


Pack	Cat.Nos	Product Description
1	7741 66	Source input with modular power supply Used to connect the main music source (Hi-Fi, computer, etc.) via Ø3.5 mm jack socket (cord not supplied) The source input powers local controls Cat.No 7741 67 to distribute music in the rooms of a house (1 local control per room) Supplied with 15 V - 60 W modular power supply, size 4.5 modules ● Ivory ○ White ● Brilliant Aluminium
1	7700 66	
1	7702 66	
1	7741 67	Local control Equipped with an LCD screen, used to select the music source: main (Hi-Fi) or local (e.g.: MP3 player) via cord with Ø3.5 mm jack (not supplied) Stereo output 2 x 1.5 W Volume, balance, bass/treble and loudness controls Time display Integrated alarm clock function (by beep or music) General call function from all local controls with answer possible from the person called (microphone integrated in the product) Compatible with 4-8 or 16 Ω ● Ivory ○ White ● Brilliant Aluminium
1	7700 67	
1	7702 67	

Pack Cat.Nos Multi-zone sound diffusion (continued)


Pack	Cat.Nos	Product Description
1	7741 68	Tuner extension and intercom Used together with the local control and with no additional wiring, the extension can be used to distribute radio on one control unit Automatic or manual search Intercom function (call to one room or a set of rooms, call takes priority over music distribution) Baby monitoring function Simplified access to local control functions via dedicated switches ● Ivory ○ White ● Brilliant Aluminium
1	7700 68	
1	7702 68	
1	7741 65	Loudspeakers Flush-mounting Wall mounting loudspeaker Max. power 2 W - 16 Ω - 2" ● Ivory ○ White ● Brilliant Aluminium
1	7700 65	
1	7700 71	
1	673 27	False ceiling mounting  Spot loudspeaker White Depth 27 mm Ø hole: 65 mm Visible depth: 11 mm Power: 2 W - 16 Ω - 2" Equipped with clips for attachment Use a Ø65 mm crown saw to cut the hole
1	673 30	 Invisible loudspeaker for multi-zone sound distribution For distributing music without the loudspeaker being seen Can be connected with the 15 V - 60 W power supply supplied with source input Max. power 8 W Depth: 98 mm Supplied with adhesive and gluing template
1	673 29	 Standard flush-mounting loudspeaker White Power: 100 W - 8 Ω - 6.5" Ø hole: 198 mm Depth: 85 mm

■ Diffusion of a music source in one room in a house (for example the kitchen, bathroom, etc.)

With spot loudspeakers Cat.No 673 27 and power supply Cat.No 7700 69 (stereo)




With power supply for tuner Cat.No 7700 69 + integrated loudspeaker Cat.No 7700 70 (mono)




■ Diffusion of a music source in all the rooms in a house

Diffusion of the main source or independent auxiliary (MP3 player) via local control Cat.Nos 7741 67/7700 67/ 7702 67



Diffusion of the main source, the auxiliary (MP3 player) or independent FM radio, via local control Cat.Nos 7741 67/7700 67/7702 67 and tuner extension Cat.Nos 7741 68/7700 68/ 7702 68



Valena™

selection chart for plates

PLATES	Horizontal				
	1 gang	2 gang	3 gang	4 gang	5 gang
Ivory 	7743 51	7743 52	7743 53	7743 54	7743 55
Ivory Gold  NEW	7741 51	7741 52	7741 53	7741 54	7741 55
White 	7744 51	7744 52	7744 53	7744 54	7744 55
White / Crystal 	7744 61	7744 62	7744 63	7744 64	7744 65
White / Pearl  NEW	7704 81	7704 82	7704 83	7704 84	7704 85
White / Silver  NEW	7704 91	7704 92	7704 93	7704 94	7704 95
Umber 	7700 01	7700 02	7700 03	7700 04	7700 05
Terra 	7700 11	7700 12	7700 13	7700 14	7700 15
Clay 	7700 21	7700 22	7700 23	7700 24	7700 25
Graph Blue  NEW	7704 31	7704 32	7704 33	7704 34	7704 35
Graph Amber  NEW	7704 41	7704 42	7704 43	7704 44	7704 45
Graph Pink  NEW	7704 51	7704 52	7704 53	7704 54	7704 55
Aluminium 	7701 51	7701 52	7701 53	7701 54	7701 55
Titanium Gold  NEW	7703 61	7703 62	7703 63	7703 64	7703 65
Aluminium Silver  NEW	7703 51	7703 52	7703 53	7703 54	7703 55
Dark Wood Silver  NEW	7703 71	7703 72	7703 73	7703 74	7703 75
Washed Wood Silver  NEW	7703 81	7703 82	7703 83	7703 84	7703 85
Black Silver  NEW	7703 91	7703 92	7703 93	7703 94	7703 95

Valena™

selection chart for plates

PLATES	Vertical			
	2 gang	3 gang	4 gang	5 gang
Ivory				
Ivory Gold NEW				
White				
White / Crystal				
White / Pearl NEW				
White / Silver NEW				
Umber				
Terra				
Clay				
Graph Blue NEW				
Graph Amber NEW				
Graph Pink NEW				
Aluminium				
Titanium Gold NEW				
Aluminium Silver NEW				
Dark Wood Silver NEW				
Washed Wood Silver NEW				
Black Silver NEW				